



Use of ICD10 codes in Pharmacy



TABLE OF CONTENTS

1. Dispensing with ICD10 codes.....	3
2. Setting up most commonly used ICD10 codes	5


```

0=Exit 1=Copy 2=Auto(3-5) 3=Prce 4=Label 5=Store 8=Mdep <ENT>=Next
Patient:DEYSEL                               Lang:E PR
[Ph:CARFIELD] Script Number...: 00000115
Drug Name.....<TAB>=Mixture : DISPRIN EXTRA  TAB  48.0  36.66  0
(Rec. 02 of 02)
Quantity.....<TAB>=OTC/NC/ND : 48.000  Container=NONE
Cost + Disp.Fee - Discount ! : 36.66
Number of Repeats.....: 0 Auth:
Directions :- Daily Dosage.. : 0.00 ICD10:U98.0
AS DIRECTED

Charge>Deb 50.00%
DISPRIN EXTRA  TAB  48.0  36.66

Patient refusal to disclose clinical information

```

Some medical aids will not authorize a script unless the ICD10 code has been provided in the script, therefore for those medical aids the field will have to be filled in correctly.

The following "Error" will be displayed if the ICD10 code is not entered for medical aids that require it:

```

<phn040> DRUG DETAILS $ SoluPharm
Patient:GERE R MR RICHARD Lang:E PR
[Ph:CARFIELD] Script Number...:
Drug Name.....<TAB>=Mixture : AMOXIL 250MG  CAP  15.0  47.18  4
(Rec. 01 of 01)
Quantity.....<TAB>=OTC/NC/ND : 15.000
Cost Plus Price.....: 47.18
Number of Repeats.....: 0 Auth:
Directions :- Daily Dosage.. : 0.00 ICD10:

50.00%

ICD10 Required!!!! Press <ENTER> to Continue

```

The following two codes would be used if the patient / provider refuses to give out clinical information:

- U98.0 Patient Refusal to disclose clinical information.
- U98.1 Provider Refusal to disclose clinical information.

2. Setting up most commonly used ICD10 codes

From the Pharmacy System Main Menu, select:

- < 1 > Maintain
- < N > ICD10 File Maintenance

```
Version 7.410b DEMONSTRATION MODULE Branch:00 SolvPharm
I.MAINTAIN 2.Process 3.Reporting 4.Sub-System 5.Utilities 6.Management
  File Maintenance
A. Patient Information
B. Pay Office Information
C. Medical Aid Information
D. Supplier Prices
E. Capitation Files
F. Healthnet Interface
G. Translation Files
H. Exclusion Descriptions
I. Mixture File
J. Message File
K. Medical Aid Number Formats
L. Maximum Medical Aid Prices
M. Loyalty Card Details
N. ICD10 File Maintenance
```

```
(phm195) MAINTAIN ICD10 CODE DESCRIPTIONS SolvPharm
[1] Chapter Descriptions
[2] Group Descriptions
[3] ICD_3 Code Descriptions
[4] ICD10 Code Descriptions
#
```

Select option 4 – “ICD10 Code Descriptions”

```
(phm195) MAINTAIN ICD10 CODE DESCRIPTIONS SolvPharm
Code.....:
Description...: HEAD ACHE High Id:36525.00
01. R51 Headache
02. Z76.1 Health supervision and care of foundling
03. Z76.2 Health supervision and care other healthy infant and child
04. Z76.3 Healthy person accompanying sick person
05. H91.9 Hearing loss, unspecified
06. Z94.3 Heart and lungs transplant status
07. I51.9 Heart disease, unspecified
08. Z52.7 Heart Donor
09. I50.9 Heart failure, unspecified
10. T86.2 Heart transplant failure and rejection
11. Z94.1 Heart transplant status
12. T86.3 Heart-lung transplant failure and rejection
13. R12 Heartburn
14. T67.2 Heat cramp
15. T67.4 Heat exhaustion due to salt depletion
16. T67.3 Heat exhaustion, anhydrotic
Line: RESC=>End 99=New >=Next
```

- Code: **If you wish to search via the code, type the first couple of characters of the code and press <ENTER>. This will then display a list of matching codes.**
- Description: **If you wish to search using the description, type the condition you are searching for and press <ENTER>.**

If the code / condition you are looking for is in the list, enter the corresponding line number to select it, otherwise continue searching through the list.

```
(phm195) MAINTAIN ICD10 CODE DESCRIPTIONS SolvPharm
Code.....: R51
Description..: HEAD ACHE High Id:36525.00
Chapter.....: XVII
Group.....: 192
ICD_3.....: R51
ICD10.....: R51
Priority.....: 1
Clinical Code...: Y
Primary Code...: Y
Asterix.....: N
Dagger.....: N
Sequelae.....: N
Sort Key.....: HEADACHE
Desc: Headache

■ [U]pdate, [A]ccept, [N]ew Entry, [ESC] To Ignore, [D]elete
```

You will now be able to make changes to the particular ICD10 code you have selected.

By changing the priority, you are able to select at which point you wish the particular code should be displayed when dispensing a script.